

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCTS / IDENTIFICATION OF SUBSTANCE

PRODUCT NAME: PRODUCT CODE: PRODUCT TYPE: **Polyurethane Waterproofing Solvent Free** Optimastic PU2KLT Waterproofing Membrane Solvent Free Polyurethane High Elongation Material

2. COMPOSITION / INFORMATION ON INGREDIENTS

Co reaction of Polyol and Isocyantes

COMPONENT

Polymer Filler Additive Enhancers Solvents PROPORTION High Low Medium Zero

3. HAZARDS IDENTIFICATION

SPECIFIC HAZARDS Irritant (XI) May cause sensitization by skin contact. ADVERSE HUMAN HEALTH EFFECTS ENVIRONMENTAL EFFECTS PHYSICAL AND CHEMICAL HAZARDS

4. FIRST AID MEASURES

INHALATION

Take person out of the contaminated area. Remove patient to fresh air. Call a doctor immediately.

SKIN CONTACT

Wash in soap and water and rinse with water.

Take off all contaminated clothing.

EYE CONTACT

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never use solvent.

If irritation continues, see an ophthalmologist.

INGESTION

Give lukewarm water to drink. Do not induce vomiting. Do not make the victim drink milk or fatty fluids. If swallowed, seek immediate advice and show container or label to the doctor. **PROTECTION OF FIRST AIDERS**

NOTE TO PHYSICIAN

OTHERS

Call a doctor in case of doubt or if symptoms persist. If unconscious, place in recovery position and seek medical advice.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE Dry powder. Foam. Carbon dioxide. MOT SUITABLE Water jet. SPECIFIC HAZARDS Toxic vapours. SPECIFIC METHODS Cool the container with water when exposed to fire. Eliminate all sources of combustion. PROTECTION OF FIRE FIGHTERS

In case of fire and/or explosion do not breath fumes.

6. ACIDDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid inhaling vapors. Keep away from fire and sparks. Workplace ventilation. **SPECIAL PROTECTIVE MEASURES** Water protective equipment. Refer to protective measures listed in sections 7 and 8. **ENVIRONMENTAL PRECAUTIONS** Discharge in sewer prohibited. Absorb with inert material (vermiculate, sand) and collect in closed containers. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.

METHOD OF CLEANING UP RECOVERY

Collect spillages. Absorb with sand or sawdust. Collect the product in a container pending future destruction. **NEUTRALIZATION DISPOSAL** Use authorized discharger or burn in approved installation. Do not discharge in sewers.

Consult local waste disposal authorities.

7. HANDLING AND STORAGE

HANDLING

Avoid contact with skin. Avoid contact with eyes. **TECHNICAL MEASURES PREVENTION OF WORKER EXPOSURE** Handle with care using hand and eye protection. When using, workplace ventilation is required – NO SMOKING Comply with the Health and Safety work laws. **PREVENTION OF FIRE AND EXPLOSION** Keep away from sources of ignition – NO SMOKING **SAFE HANDLING ADVISES STORAGE** Do not keep for prolonged periods of time. Keep container tightly closed.

Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odour Solubility in Water Flash Point VOC Pigmented as per client's color request Slight Aromatic Scent Insoluble Non Flammable less than 100 g/ L

10. STABILITY AND REACTIVITY

STABILITY & REACTIVITY Stable under ambient temperature

MATERIALS TO AVOID Minerals and organic acids, oxidizing materials and organic halides.

HAZARDOUS DECOMPOSITION PRODUCTS Combustion can produce carbon monoxide and or/ carbon dioxide andoxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

SKIN IRRITATION:may cause burnsEYE IRRITATION:Irritating to eyes.SENSITIZING:may cause sensitization by inhalation and skin contact.CHORNIC TOXICITY:No informationREPRODUCTIVE TOXICITY:No Information

12. ECOLOGICAL INFORMATION

BIODEGRADABILITY : Not notice biodegradability

BIOACCUMULATION : Not Notice bioaccumulation

13. DISPOSAL CONSIDERATIONS

Waste cloth and resin are burning in a chemical incinerator with an afterburner and scrubber. Or contact local industrial waste disposal company for disposal.

14. TRANSPORT INFORMATION

UN Haz. Class : 8 Packaging Group : 3 UN Number : 1760

15. REGULATIONS

Labeling according to EEC Directives Hazardous identification : Hazards identification : C (Corrosive) Harmful in contact with skin and if swallowed. Irritating to eyes. Causes burns. May cause sensitization by skin contact.

16. OTHER INFORMATION

The data are up to the current level of our knowledge and experience. The MSDS I sonly intended to give a description of products with regard to safety requirement. The data cannot be interpreted as a guarantee of properties.